



## Bearing Mexico, S.A.



MSM80BXHFATL Bearing 2D drawings and 3D CAD models

### TIMKEN MSM80BXHFATL Flange Block Bearings

Bearing No. MSM80BXHFATL

Category	Flange Block Bearings
Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	40.51
EAN	0013992051271
Product Group	B04144
Number of Mounting Holes	4
Mounting Method	Clamp Collar
Housing Style	4 Bolt Round Flange Block
Rolling Element	Cylindrical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Expansion
Mounting Bolts	16 Millimeter
Relubricatable	Yes
Insert Part Number	MSM80BX
Seals	Triple Lip Labyrinth
Housing Configuration	2 Piece Split
Pilot Configuration	No Pilot
Inch - Metric	Metric
Long Description	4 Bolt Round Flange Block; 80MM Bore; 302MM Bolt Circle; 2 Piece Split; Clamp Collar Mount; Cast Iron; Cylindrical Roller Bearing; 89.7MM Length Thru Bore; 213.5MM Bolt Spacing; Relubricatable; Triple



## Bearing Mexico, S.A.

Other Features	Single Row   Wide Inner Ring   Medium Duty
Category	Flange Block Bearings
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.80
Noun	Bearing
Keyword String	Flanged
Manufacturer URL	<a href="http://www.timken.com">http://www.timken.com</a>
Weight / LBS	89.23
d	3.15 Inch   80 Millimeter
Bolt Spacing	8.4 Inch   213.5 Millimeter
Cartridge Pilot Depth	0 Inch   0 Millimeter
D	3.531 Inch   89.7 Millimeter
Cartridge Pilot Diameter	0 Inch   0 Millimeter
Nominal Bolt Circle Diameter Round	11.9 Inch   302 Millimeter
Shaft Size	80 mm
Seal Type	Aluminium Triple Labyrinth
Bearing Type	Split Cylindrical Expansion Type
Support Type	Round Flange
Series Type	Medium Series
Bolt Size	4 x M16
Bearing - Housing - Seal	MSM80BXHATL
Bearing - Housing - Seal UPC	013992044679
Bearing UPC	013992035349
Dimension T	14.0 in
Dimension R	11.9 in
Dimension P	0.7 in
Dimension H	3.4 in
Dimension N	9.625 in
Dimension V	0.1 in



## Bearing Mexico, S.A.

Dimension L	6.4 in
Cr - Dynamic Load Rating	66768 lbf
Cor - Static Load Rating	79358 lbf
Maximum Speed	2520 rpm
Note	This product line was formerly known as " Revolve "